

ON THE NUMBER OF DISTINCT LANGUAGES ACCEPTED BY FINITE AUTOMATA WITH n STATES ¹

MICHAEL DOMARATZKI

*School of Computer Science, Queen's University
Kingston, ON K7L 3N6, Canada
e-mail: domaratz@cs.queensu.ca*

DEREK KISMAN

*5760 Buckboard Rd. NW
Calgary, AB T3A 4R6, Canada
e-mail: dkisman@acm.org*

and

JEFFREY SHALLIT²

*School of Computer Science, University of Waterloo
Waterloo, ON N2L 3G1, Canada
e-mail: shallit@uwaterloo.ca*

ABSTRACT

We give asymptotic estimates and some explicit computations for both the number of distinct languages and the number of distinct finite languages over a k -letter alphabet that are accepted by deterministic finite automata (resp. nondeterministic finite automata) with n states.

Keywords: Enumeration, finite automata, minimal automaton, nondeterministic finite automaton

1. Introduction

The problem of enumeration of finite automata according to various criteria (with or without distinguished initial state, initially connected³, strongly connected, non-isomorphic, etc.) was considered as early as 1959, when V. A. Vyssotsky apparently wrote a Bell Laboratories memorandum on this subject [35]. (We have not been able to obtain a copy.) Counting finite automata was problem 19 in Harary's 1960 list

¹Full version of a submission presented at the Third International Workshop on *Descriptive Complexity of Automata, Grammars and Related Structures* (Vienna, Austria, July 20–22, 2001).

²Research supported in part by a grant from NSERC.

³That means, for each state q there exists a directed path from the distinguished start state to q .

of unsolved problems in graph enumeration [3, pp. 75, 87]. (Also see Harary [4] and Harary and Palmer [6].) In 1962, Ginsburg proposed the problem of enumerating non-isomorphic sequential machines [1, p. 18].

Since then many authors examined these questions, particularly in the former Soviet Union. For example, see the papers of Livshits [23]; Korshunov [13, 14, 15, 16, 17, 18, 19]; Liskovets [20, 21, 22]; and Popov and Skibenko [28]. These papers are all in Russian and an English translation is not available for most of them.

For contributions of Western authors, see Harrison [7, 8]; Radke [29]; Harary and Palmer [5]; and Robinson [31].

However, it appears that none of these authors have examined the problems that interest us in this paper: namely, counting the number of distinct *languages* (or distinct *finite languages*) accepted by DFA's (or NFA's) with n states. Indeed, many of the papers above deal with enumeration of *automata* rather than languages, and their automata often do *not* have a distinguished initial state or set of final states. For example, although the title of the paper of Livshits [23] suggests he was enumerating unary finite automata, he actually counted the number of non-isomorphic "functional digraphs", which is a very different quantity (and which had been previously studied by Harary [2], Read [30], and others). Korshunov [14, 16, 18] counted minimal automata, but it turns out he worked mostly with Mealy machines that are not necessarily initially connected; in fact, his machines usually lacked a distinguished initial state. Therefore, his enumeration results are quite different from ours and apparently not trivially related.

Furthermore, it seems that the question of enumerating unary regular languages and languages accepted by NFA's has received little or no attention.

We define a DFA to be a 5-tuple, $M = (Q, \Sigma, \delta, q_0, F)$, where Q is a finite nonempty set of states, Σ is a finite nonempty input alphabet, $\delta : Q \times \Sigma \rightarrow Q$ is the transition function, $q_0 \in Q$ is the distinguished initial state, and $F \subseteq Q$ is the set of final states. We assume that δ is total, i. e., that it is defined on all elements of its domain. The domain of δ is extended to $Q \times \Sigma^*$ in the obvious manner. An NFA is also a 5-tuple $M = (Q, \Sigma, \delta, q_0, F)$, but the transition function δ maps $Q \times \Sigma \rightarrow 2^Q$. In this paper we assume our NFA's do not have ϵ -transitions.

Two states $p, q \in Q$ are said to be *equivalent* if for all $x \in \Sigma^*$ we have $\delta(p, x) \in F \iff \delta(q, x) \in F$.

We say a DFA (resp. NFA) M accepting L is *minimal* if there is no DFA (resp. NFA) M' with fewer states accepting L . By a well-known result [9, Thm. 3.10], there is a unique minimal DFA, up to isomorphism (renaming of the states). This is not true for NFA's.

We define the functions

$f_k(n)$ = the number of pairwise non-isomorphic minimal DFA's with n states over a k -letter input alphabet;

$g_k(n)$ = the number of distinct languages accepted by DFA's with n states over a k -letter input alphabet; and

$G_k(n)$ = the number of distinct languages accepted by NFA's with n states over a k -letter input alphabet.

Note that $f_k(n)$ counts the number of non-isomorphic, initially-connected DFA's with n states such that no two states are equivalent. Robinson [31] suggests computing $f_k(n)$ as an open enumeration problem.

The goal of this paper is to develop good upper and lower bounds for $f_k(n)$, $g_k(n)$, and $G_k(n)$. We are particularly interested in *constructive* lower bounds, i. e., lower bounds which are provided by explicit construction of DFA's or NFA's accepting different languages. We have the following trivial observation.

Proposition 1 We have $g_k(n) = f_k(1) + f_k(2) + \cdots + f_k(n)$.

Proof. If L is accepted by a DFA with n states, then it is accepted by a unique (up to isomorphism) minimal DFA with $\leq n$ states. If L is accepted by a minimal DFA M with $\leq n$ states, then by adding unreachable states to M , the language L can be accepted by a DFA with exactly n states. \square

There are some applications for good estimates for $g_k(n)$ and $G_k(n)$. For example, in Shallit and Breitbart [34] and Pomerance, Robson, and Shallit [27], upper bounds on $g_k(n)$ and $G_k(n)$ were used to provide lower bounds on “automaticity” (a measure of how close to regular a given nonregular language is).

2. Enumeration of DFA Languages for $k = 1$

In this section we develop both exact and asymptotic formulas in the unary case. We estimate both $f_1(n)$ and $g_1(n)$.

Nicaud [26] observed the following.

Theorem 2 An n -state unary DFA $M = (Q, \{a\}, \delta, q_0, F)$, where $Q = \{q_0, q_1, \dots, q_{n-1}\}$, is minimal iff the following three conditions hold.

- (a) It is initially connected, i. e., every state can be reached from the start state. Thus, after renaming, its transition diagram consists of a “loop” and a “tail”, i. e., $\delta(q_i, a) = q_{i+1}$ for $0 \leq i \leq n - 2$ and $\delta(q_{n-1}, a) = q_j$ for some j , $0 \leq j \leq n - 1$.
- (b) The loop is “minimal”, i. e., it cannot be replaced by an equivalent smaller loop.
- (c) If $j \neq 0$, then q_{j-1} and q_{n-1} are of opposite “finality”, i. e., $q_{j-1} \in F$ and $q_{n-1} \notin F$ or $q_{j-1} \notin F$ and $q_{n-1} \in F$.

Note that the loop $q_j, q_{j+1}, \dots, q_{n-1}$ is minimal if and only if the word $a_j a_{j+1} \dots a_{n-1}$ defined by

$$a_i = \begin{cases} 1, & \text{if } q_i \in F; \\ 0, & \text{if } q_i \notin F; \end{cases}$$

is primitive. (A nonempty word w is *primitive* if it cannot be written in the form $w = x^k$ for some word x and integer $k \geq 2$.)

Let $\psi_k(n)$ denote the number of primitive words of length n over a k -letter alphabet. It is well-known (e. g., [24, p. 9]) that

$$\psi_k(n) = \sum_{d|n} \mu(d)k^{n/d},$$

where μ is the Möbius function, defined as follows:

$$\mu(n) = \begin{cases} 0, & \text{if } n \text{ is divisible by a square } > 1; \\ (-1)^s, & \text{if } n = p_1 p_2 \dots p_s, \text{ where the } p_i \text{ are distinct primes.} \end{cases}$$

Theorem 3 *We have*

$$f_1(n) = \psi_2(n) + \sum_{1 \leq j \leq n-1} \psi_2(n-j)2^{j-1}.$$

Proof. The result follows from Nicaud's theorem (Theorem 2). The 2^{j-1} factor comes from the fact that there are j states in the tail and if $j \geq 1$, then the type of one of the states (final or non-final) is fixed by condition (c). \square

By Proposition 1 we have the following expression for $g_1(n)$, the number of distinct languages accepted by unary DFA's with n states:

$$g_1(n) = \sum_{1 \leq t \leq n} f_1(t).$$

We can now state the first result of the paper.

Theorem 4 *We have* $g_1(n) = \sum_{1 \leq t \leq n} \psi_2(t)2^{n-t}$.

Proof. We have

$$\begin{aligned} g_1(n) &= \sum_{1 \leq t \leq n} f_1(t) = \sum_{1 \leq t \leq n} \left(\psi_2(t) + \sum_{1 \leq j \leq t-1} \psi_2(t-j)2^{j-1} \right) \\ &= \sum_{1 \leq t \leq n} \left(\psi_2(t) + \sum_{1 \leq i \leq t-1} \psi_2(i)2^{t-i-1} \right) = \sum_{1 \leq t \leq n} \psi_2(t)2^{n-t}. \end{aligned} \quad \square$$

We now give a good asymptotic estimate for $g_1(n)$.

Theorem 5 *We have*

$$g_1(n) = 2^n(n - \alpha + O(n2^{-n/2})),$$

where

$$\alpha = \sum_{d \geq 2} \frac{\mu(d)}{1 - 2^{d-1}} \doteq 1.38271445540239628547.$$

Proof. By Theorem 4 we get

$$\begin{aligned} g_1(n) &= \sum_{1 \leq t \leq n} \psi_2(t) 2^{n-t} = \sum_{1 \leq t \leq n} \left(\sum_{d|t} \mu(d) 2^{t/d} \right) 2^{n-t} \\ &= 2^n \sum_{1 \leq t \leq n} \sum_{\substack{d|t \\ d \neq 1}} \mu(d) 2^{t/d-t} = 2^n \left(n + \sum_{1 \leq t \leq n} \sum_{\substack{d|t \\ d \neq 1}} \mu(d) 2^{t/d-t} \right), \end{aligned}$$

so it suffices to estimate $\sum_{1 \leq t \leq n} \sum_{\substack{d|t \\ d \neq 1}} \mu(d) 2^{t/d-t}$. Let $t = kd$ and reverse the order of summation. We find

$$\begin{aligned} \sum_{1 \leq t \leq n} \sum_{\substack{d|t \\ d \neq 1}} \mu(d) 2^{t/d-t} &= \sum_{2 \leq d \leq n} \mu(d) \sum_{1 \leq k \leq \frac{n}{d}} 2^{k-kd} \\ &= \sum_{2 \leq d \leq n} \mu(d) \left(O(2^{n/d-n}) + \sum_{k \geq 1} 2^{k-kd} \right) \\ &= \sum_{2 \leq d \leq n} \mu(d) \left(O(2^{n/d-n}) + \frac{1}{2^{d-1}-1} \right) \\ &= \left(\sum_{2 \leq d \leq n} \frac{\mu(d)}{2^{d-1}-1} \right) + O(n 2^{-n/2}) \end{aligned}$$

and the result follows. \square

Corollary 6 *We have*

$$f_1(n) = 2^{n-1}(n + 1 - \alpha + O(n 2^{-n/2})),$$

where α is defined in Theorem 5.

Note: Nicaud [26] proved the weaker result that $f_1(n) \sim 2^{n-1}n$.

Proof. By Proposition 1 we have

$$\begin{aligned} f_1(n) &= g(n) - g(n-1) \\ &= 2^n(n - \alpha + O(n \cdot 2^{-n/2})) - 2^{n-1}(n-1 - \alpha + O(n \cdot 2^{-n/2})) \\ &= 2^{n-1}(n + 1 - \alpha + O(n \cdot 2^{-n/2})). \end{aligned} \quad \square$$

3. Enumeration of DFA Languages for $k \geq 2$

In this section, we turn our attention to larger alphabet sizes. First, we give a constructive lower bound for $f_k(n)$, the number of pairwise non-isomorphic minimal n -state DFA's over a k -letter alphabet.

Suppose we are given an automaton $M = (Q, \Sigma, \delta, q_0, F)$ and a subset of the input alphabet $\Delta \subseteq \Sigma$. We can consider the restriction of M to Δ , written M_Δ , which is the

automaton $(Q, \Delta, \delta_\Delta, q_0, F)$ with δ_Δ the restriction of the function δ to the domain $Q \times \Delta$.

Theorem 7 *We have $f_k(n) \geq f_1(n)n^{(k-1)n} \sim n2^{n-1}n^{(k-1)n}$.*

Proof. Fix $k \geq 2$ and $n \geq 1$. Let $\Sigma = \{0, 1, \dots, k-1\}$ and $Q = \{q_0, q_1, \dots, q_{n-1}\}$. Consider the set $S_{k,n}$ of DFA's $M = (Q, \Sigma, \delta, q_0, F)$ defined by

- (a) Letting $M_{\{0\}}$ be one of the $f_1(n)$ different minimal unary DFA's on n states; and
- (b) Choosing any $k-1$ functions $h_i : Q \rightarrow Q$ for $1 \leq i < k$ and defining $\delta(q, i) = h_i(q)$ for $1 \leq i < k$ and $q \in Q$.

Then we claim that $S_{k,n}$ contains $f_1(n)n^{(k-1)n}$ pairwise non-isomorphic DFA's, and each DFA is minimal.

It is easy to see that no two distinct DFA's M, M' in $S_{k,n}$ are isomorphic. Each DFA M in $S_{k,n}$ is minimal because its restriction $M_{\{0\}}$ is minimal. \square

We may improve the lower bound in Theorem 7 slightly, as follows: instead of demanding that the restriction $M_{\{0\}}$ be minimal, we allow the restriction $M_{\{i\}}$ to *any* letter to be minimal. Of course, this double-counts those automata whose restrictions are minimal on two or more letters. We claim there are at most $\frac{k(k-1)}{2}n!f_1(n)n^{(k-2)n}$ such automata. To see this, assume $M_{\{i\}}$ and $M_{\{j\}}$ are both minimal. Without loss of generality we may assume $0 < i < j < k$; this gives us $k(k-1)/2$ pairs (i, j) . There are $n^{(k-2)n}$ ways to specify the transitions on letters in $\Sigma - \{i, j\}$. There are $f_1(n)$ ways to choose the restriction on $M_{\{i\}}$; this includes specification of the final states. Finally, there are $n!$ ways to choose the transitions on j so that the resulting restriction $M_{\{j\}}$ is initially-connected (i. e., $n-1$ choices for $q = \delta(q_0, j)$; $n-2$ choices for $q' = \delta(q, j)$, etc., and n choices for the transition from the last state in this path back to a previously-encountered state.

This gives us the following result.

Theorem 8 *For $k \geq 2$ and $n \geq 1$ we have*

$$f_k(n) \geq f_1(n) \left(kn^{(k-1)n} - \frac{k(k-1)}{2}n!n^{(k-2)n} \right).$$

For fixed k this gives $f_k(n) \geq (k - o(1))n2^{n-1}n^{(k-1)n}$. \square

We now turn to upper bounds for $f_k(n)$ and $g_k(n)$.

Theorem 9 *For $k, n \geq 1$ we have $g_k(n) \leq 2^n n^{kn} / (n-1)!$.*

Proof. We can choose the final states in 2^n ways. The transition function maps $\delta : Q \times \Sigma \rightarrow Q$, and there are n^{kn} such functions. As observed by Robinson [31] we may now divide by $(n-1)!$, because after removing those automata with n states that are not initially connected, the names of all but the initial state in the remaining automata are irrelevant. \square

This upper bound can be improved somewhat by considering only initially connected finite automata. Let $C_k(n)$ be the number of n -state initially connected finite automata, without any final states, over a k -letter alphabet. Then the analysis above gives $f_k(n) \leq 2^n C_k(n)/(n-1)!$. As both Liskovets [20] and Robinson [31] have observed, a simple combinatorial argument gives

$$C_k(n) = n^{kn} - \sum_{1 \leq j < n} \binom{n-1}{j-1} C_k(j) n^{k(n-j)}. \quad (1)$$

Robinson stated that

$$C_k(n) = n^{kn} \gamma_k^{n(1+o(1))}, \quad \text{where} \quad \gamma_k = \frac{(1-c_k)^{\frac{1-c_k}{c_k}}}{c_k^{k-1}}$$

and c_k is the unique positive root of the equation $c_k = 1 - e^{-kc_k}$. (We have corrected a misprint in the formula Robinson gave for γ_k .) For $k = 2$, we have $c_k \doteq .79681213002002$ and $\gamma_k \doteq .83590576750085$. For more precise results, see Korshunov [18, p. 50].

Our lower and upper bounds for $f_k(n)$ differ by a factor of approximately $(\gamma_k e)^n$, which for $k = 2$ is roughly 2.27^n . It seems likely to us that $\log f_k(n) = (k-1)n \log n + \beta_k n + o(n)$, for some constant β_k . (Here and elsewhere in the paper, \log denotes the natural logarithm.) We estimate that $\beta_2 \doteq 1.5$.

4. Enumeration of NFA Languages

In this section we consider the computation of $G_k(n)$, the number of distinct languages accepted by NFA's with n states over a k -letter alphabet. Other than the single result mentioned below, it appears that this question has not been examined previously.

First, the unary case. Pomerance, Robson, and Shallit [27] proved that there exists a constant c_1 such that $G_1(n) \leq (\frac{c_1 n}{\log n})^n$, which appears to be the best upper bound known.

Evidently $G_1(n) \geq 2^n$, since each subset $L \subseteq \{\epsilon, a, a^2, \dots, a^{n-1}\}$ can be accepted by some NFA with n states. Thus $2^n \leq G_1(n) < 2^{n \log_2 n}$ for all n sufficiently large. The lower bound can be improved slightly as follows.

Theorem 10 *We have $G_1(n) > 2^{n+(2.295-o(1))\sqrt{\frac{n}{\log n}}}$.*

Proof. Let p_m denote the m 'th prime (with $p_1 = 2$). Let C be a constant to be determined later, with $C \geq 2$. Given $n \geq 2$, define b to be the unique integer such that $bp_{\lfloor Cb \rfloor} \leq n < (b+1)p_{\lfloor C(b+1) \rfloor}$. Then from the well-known approximation $p_m < m(\log m + \log \log m)$ for $m \geq 6$ [32], we have $b > (\sqrt{2/C} - o(1))\sqrt{\frac{n}{\log n}}$.

For each of the $\binom{\lfloor Cb \rfloor}{b}$ ways to choose b distinct primes $r_1 < r_2 < \dots < r_b$ from the set $\{p_1, p_2, \dots, p_{\lfloor Cb \rfloor}\}$, construct a unary NFA with a tail of $s := n - (r_1 + r_2 + \dots + r_b)$ states, with the last state branching nondeterministically into b distinct cycles, of lengths r_1, r_2, \dots, r_b , respectively. See Figure 1.




Figure 1: Constructing an NFA

More precisely, define

$$\begin{aligned}
 \delta(q_i, a) &= \{q_{i+1}\} \quad \text{for } 0 \leq i < s-1; \\
 \delta(q_{s-1}, a) &= \{q_{1,0}, q_{2,0}, \dots, q_{b,0}\}; \\
 \delta(q_{i,j}, a) &= \{q_{i,(j+1) \bmod r_i}\} \quad \text{for } 1 \leq i \leq b, \quad 0 \leq j < r_i.
 \end{aligned} \tag{2}$$

We have

- if $t < s$, then a^t is accepted iff q_t is final;
- if $t \geq s$, then a^t is accepted iff there exists i , $1 \leq i \leq b$ such that $t - s \equiv e \pmod{r_i}$ and $q_{i,e}$ is final.

Now choose the final states in the tail in all possible ways, and choose the final states in the cycles in all possible ways, subject to the restriction that not all the states in any given cycle are of the same type (i. e., not all final or all non-final).

We claim that no two of these n -state NFA's accept the same language. Suppose the contrary, i. e., there exist two NFA's $M = (Q, \Sigma, \delta, q_0, F)$ and $M' = (Q', \Sigma, \delta', q'_0, F')$ such that $L(M) = L(M')$. Suppose the states of M are given as in Eq. (2) (based on the set of primes $R = \{r_1, r_2, \dots, r_b\}$) and the states of M' are similarly defined, based on the set of primes $R' = \{r'_1, r'_2, \dots, r'_b\}$.

Case 1: $R = R'$. We may assume $r_i = r'_i$ for $1 \leq i \leq b$ and $Q = Q'$. Since $L(M) = L(M')$, it must be that M and M' are identical except that $F \neq F'$. If the final state that differs occurs in the tail, then the appropriate prefix is accepted by one NFA and not the other. Hence the difference occurs in some cycle, say the state which is congruent to $e \pmod{r_l}$ for some l . More precisely, assume $q_{l,e} \in F$ but $q_{l,e} \notin F'$. By our hypothesis, for all j , $1 \leq j \leq b$, there exists a state $q_{j,c_j} \notin F'$.

Then, by the Chinese remainder theorem, we can choose $t \geq s$ such that $t - s \equiv e \pmod{r_l}$, but $t - s \equiv c_j \pmod{r_j}$ for $1 \leq j \leq b$, $j \neq l$. Then a^t is accepted by M but not by M' .

Case 2: $R \neq R'$. Without loss of generality there is an $r \in R$ such that $r \notin R'$. By our hypothesis, if $r = r_l$, there exists a state q_{l,e_l} which is final in M . Also, for all j

with $r'_j \in R' - R$ there exists a state q'_{j,c_j} which is not final in M' . Finally, for all k with $r_k \neq r$, there exists a state q_{k,d_k} which is not final in M .

Then, by the Chinese remainder theorem, we can choose $t \geq n$ such that $t - s \equiv l \pmod{r_l}$, $t - s' \equiv c_j \pmod{r'_j}$ for $r'_j \in R' - R$ and $t - s \equiv d_k \pmod{r_k}$ for $r_k \in R - \{r\}$. Then M accepts a^t , but M' does not.

Let N be the number of NFA's in our construction; we now estimate N . There are $\binom{\lfloor Cb \rfloor}{b}$ ways to choose the subset of b primes, and for each subset $R = \{r_1, r_2, \dots, r_b\}$ we can assign the final states in every possible way, except that we remove two possibilities for each cycle (all final or all non-final). This gives

$$2^s(2^{r_1} - 2)(2^{r_2} - 2) \dots (2^{r_b} - 2) = 2^n(1 - 2^{1-r_1})(1 - 2^{1-r_2}) \dots (1 - 2^{1-r_b})$$

ways to assign the final states. Now clearly

$$(1 - 2^{1-r_1})(1 - 2^{1-r_2}) \dots (1 - 2^{1-r_b}) \geq \prod_{i \geq 1} (1 - 2^{1-p_i}),$$

where p_i is the i 'th prime, and this infinite product converges to a positive real number β . (In fact, one can estimate that $\beta \doteq .345640293832338$.) It follows that $N \geq \beta 2^n \binom{\lfloor Cb \rfloor}{b}$. Now, using Stirling's approximation, we get

$$\begin{aligned} \binom{\lfloor Cb \rfloor}{b} &= \frac{\lfloor Cb \rfloor!}{b!(\lfloor Cb \rfloor - b)!} \\ &> \frac{(Cb - 1)!}{b!(b(C - 1))!} \\ &> \frac{1}{Cb} \frac{(Cb)!}{b!(b(C - 1))!} \\ &\sim C^{Cb} (C - 1)^{b(1-C)} C^{-1/2} (2\pi)^{-1/2} (C - 1)^{-1/2} b^{-3/2} \\ &= 2^{b(C \log_2 C + (1-C) \log_2 (C-1) - o(1))}. \end{aligned}$$

where, as usual, we take $t!$ for non-integer t to mean $\Gamma(t + 1)$. Combining this with our previous estimate on b gives $N > 2^{n+(\gamma-o(1))\sqrt{\frac{n}{\log n}}}$, where $\gamma = \sqrt{2/C}(C \log_2 C - (C - 1) \log_2 (C - 1))$. Now, choosing $C \doteq 4.141$ we find that $\gamma > 2.295$. This completes the proof. \square

Now we turn to the case $k \geq 2$.

Proposition 11 For $k \geq 2$ we have $n2^{(k-1)n^2} \leq G_k(n) \leq (2n - 1)2^{kn^2} + 1$.

Proof. For the upper bound, note that any NFA can be specified by specifying, for each pair (q, a) of state and symbol, which subset of Q equals $\delta(q, a)$. We may assign the final states as follows: either the initial state q_0 is final or not, and then, since the names of states are unimportant, we may assume the remaining final states are $\{q_1, q_2, \dots, q_t\}$ for $0 \leq t \leq n - 1$. Finally, if we choose no final states, we obtain only the empty language \emptyset .

For the lower bound, we use the same technique as in Theorem 7. Define an NFA $M = (Q, \Sigma, \delta, q_0, F)$ over the k -letter alphabet $\Sigma = \{0, 1, \dots, k - 1\}$ as follows. Let

$Q = \{q_0, q_1, \dots, q_{n-1}\}$ and define

$$\begin{aligned}\delta(q_i, 0) &= q_{(i+1) \bmod n} \quad \text{for } 0 \leq i < n; \\ \delta(q_i, j) &= h_j(i) \quad \text{for } 0 \leq i < n, 1 \leq j < k;\end{aligned}$$

where $h_j : \{1, 2, \dots, n-1\} \rightarrow 2^Q$ is any set-valued function. Finally, let $F = \{q_i\}$ for any $i, 0 \leq i < n$. There are $(2^n)^{(k-1)n}$ such functions and n ways to choose the set of final states. Using reasoning similar to that in Theorem 7, no two such NFA's accept the same language. \square

The upper bound may be marginally improved by considering only NFA's that are initially connected, as follows: let $D_k(n)$ be the number of initially connected NFA's with on n states over a k -letter alphabet, with a fixed initial state and no final states. Then we have $G_k(n) \leq (2n-1)D_k(n) + 1$. Unfortunately we have

Theorem 12 *We have $D_k(n) \sim 2^{kn^2}$.*

Proof. In analogy with Eq. (1), we have

$$2^{kn^2} = \sum_{1 \leq j \leq n} \binom{n-1}{j-1} D_k(j) 2^{kn(n-j)}.$$

(Here j is the size of the connected component involving the start state. There are $\binom{n-1}{j-1}$ ways to choose the other $j-1$ states, and then transitions from the remaining $n-j$ states can be chosen in all possible ways.) From this we obtain $D_k(1) = 2^k$ and

$$D_k(n) = 2^{kn^2} - \sum_{1 \leq j \leq n-1} \binom{n-1}{j-1} D_k(j) 2^{kn(n-j)}.$$

Now

$$\binom{n-1}{j-1} D_k(j) 2^{kn(n-j)} \leq 2^{n-1} 2^{kj^2} 2^{kn^2 - knj} = 2^{k(n^2 + j^2 - nj) + n - 1}. \quad (3)$$

Over the range $1 \leq j \leq n-1$, the expression $n^2 + j^2 - nj$ is strictly decreasing for $1 \leq j \leq n/2$ and strictly increasing for $n/2 \leq j \leq n-1$. It follows that

$$n^2 + j^2 - nj \leq \begin{cases} n^2 - n + 1, & \text{if } 1 \leq j \leq n-1; \\ n^2 - n + 4, & \text{if } 2 \leq j \leq n-2. \end{cases} \quad (4)$$

Thus, if $k \geq 2$ we have

$$\binom{n-1}{j-1} D_k(j) 2^{kn(n-j)} \leq 2^{k(n^2 - n + 1) + n - 1} = 2^{kn^2 + (1-k)(n-1)} \leq 2^{kn^2 - n + 1}.$$

Hence $D_k(n) \geq 2^{kn^2} (1 - (n-1)2^{-n+1})$.

If $k = 1$, then, for $2 \leq j \leq n-2$ we have from (3) and (4) that

$$\binom{n-1}{j-1} D_1(j) 2^{n(n-j)} \leq 2^{(n^2 - 2n + 4) + n - 1} = 2^{n^2 - n + 3}.$$

Hence for $n \geq 3$ we have

$$\begin{aligned}
 & \sum_{1 \leq j \leq n-1} \binom{n-1}{j-1} D_1(j) 2^{n(n-j)} \\
 &= D_1(1) 2^{n(n-1)} + \left(\sum_{2 \leq j \leq n-2} \binom{n-1}{j-1} D_1(j) 2^{n(n-j)} \right) + \binom{n-1}{n-2} D_1(n-1) 2^n \\
 &\leq 2^{n^2-n+1} + \left(\sum_{2 \leq j \leq n-2} 2^{n^2-n+3} \right) + (n-1) 2^{(n-1)^2+n} \\
 &= 2^{n^2-n+1} + (n-3) 2^{n^2-n+3} + (n-1) 2^{n^2-n+1} \\
 &= 2^{n^2-n} (2 + 8(n-3) + 2(n-1)) \\
 &= 2^{n^2-n} (10n - 24).
 \end{aligned}$$

It follows that $D_1(n) \geq 2^{n^2} (1 - (10n - 24) 2^{-n})$. Since $D_k(n) \leq 2^{kn^2}$, the desired result follows. \square

Let $E_k(n, r)$ denote the number of distinct languages L over a k -letter alphabet such that L can be accepted by an NFA with n states, but the minimal DFA accepting L has precisely r states. Currently it is not even known whether or not $E_2(n, j) > 0$ for every j with $n \leq j \leq 2^n$; see [10, 11, 12]. The distribution of $E_k(n, r)$ is an even harder question. We make a small amount of progress in this paper by showing $E_k(n, 2^n) \geq 2^{n-2}$ for $n \geq 2$.

Theorem 13 *Let $n \geq 2$ and $k = |\Sigma| \geq 2$. There are at least 2^{n-2} distinct languages $L \subseteq \Sigma^*$ such that*

- (a) L can be accepted by an NFA with n states; and
- (b) The minimal DFA accepting L has 2^n states.

Proof. Without loss of generality we may assume $\Sigma = \{a, b\}$. We construct 2^{n-2} different NFA's, as follows: for each subset $S \subseteq \{q_1, q_2, \dots, q_{n-1}\}$ we create an NFA $M(S) = (Q, \Sigma, \delta_S, q_0, F)$ where $Q = \{q_0, q_1, \dots, q_{n-1}\}$, $F = \{q_{n-1}\}$, and δ_S is defined as follows:

$$\delta_S(q_i, a) = \begin{cases} \{q_{i+1}\}, & \text{if } 0 \leq i < n-1; \\ \emptyset, & \text{if } i = n-1; \end{cases}$$

$$\delta_S(q_i, b) = \begin{cases} \{q_0, q_1\}, & \text{if } i = 0; \\ \{q_0, q_{i+1}\}, & \text{if } 1 \leq i \leq n-2 \text{ and } q_i \in S; \\ \{q_{i+1}\}, & \text{if } 1 \leq i \leq n-2 \text{ and } q_i \notin S; \\ \{q_0\}, & \text{if } i = n-1; \end{cases}$$

First, we show that every state-set in the corresponding DFA is reachable. We claim that each string of the form $b^{n-1}w$, where $|w| = n$, takes us to a different state-set. For upon reading b^{n-1} we will be in $\{q_0, q_1, \dots, q_{n-1}\}$. Whenever after this

we read a , the state q_0 is excluded, and whenever we read b , the state q_0 is included. This gives us a bijection between the 2^n possible state sets and strings of the form $b^{n-1}|w|$.

Next, we show that no two of these state-sets is equivalent. Pick two such sets, say T and U , with $T \neq U$. Without loss of generality we may assume there exists $q_i \in T$ such that $q_i \notin U$. Then $\delta_S(T, a^{n-1-i})$ contains the final state q_{n-1} , but $\delta_S(U, a^{n-1-i})$ does not.

Finally, we show that if $S \neq S'$, then $M(S)$ and $M(S')$ accept different languages. Without loss of generality we may assume $q_j \in S$ and $q_j \notin S'$ for some j , $1 \leq j \leq n-2$. Then $M(S)$ accepts $a^j b a^{n-1}$ but $M(S')$ does not. \square

5. Enumeration of Finite languages

We now turn to consideration of finite languages. We define

$f'_k(n)$ = the number of non-isomorphic minimal DFA's with n states over a k -letter input alphabet that accept a *finite* language;

$g'_k(n)$ = the number of distinct *finite* languages accepted by DFA's with n states over a k -letter input alphabet; and

$G'_k(n)$ = the number of distinct *finite* languages accepted by NFA's with n states over a k -letter input alphabet.

Once again, it is clear that $g'_k(n) = f'_k(1) + f'_k(2) + \dots + f'_k(n)$.

The following proposition is useful.

Proposition 14 Let M be a minimal n -state DFA with $L(M)$ finite. Then M is isomorphic (up to renaming of the states) to a DFA $M' = (Q, \Sigma, \delta, q_0, F)$ satisfying $Q = \{q_0, q_1, \dots, q_{n-1}\}$ and the following conditions:

- (a) $\delta(q_{n-1}, a) = q_{n-1}$ for all $a \in \Sigma$;
- (b) If $n \geq 2$, then $\delta(q_{n-2}, a) = q_{n-1}$ for all $a \in \Sigma$;
- (c) $q_{n-1} \notin F$;
- (d) If $n \geq 2$, then $q_{n-2} \in F$;
- (e) If $\delta(q_i, a) = q_j$ for $i < n-1$ then $i < j$.

Proof. The results are clear if $n = 1$, so assume $n \geq 2$.

If M is minimal, then it is initially connected. Now discard all states from which no final state is reachable. (We must discard at least one such state, for if a final state is reachable from every state, start at q_0 and follow a path by making transitions on some fixed input symbol until some state occurs for the second time. This gives a cycle from which a final state is reachable, so $L(M)$ is not finite, a contradiction.) The resulting graph G must be acyclic (for if there were a cycle $L(M)$ would not be finite). Hence we can impose an ordering on the remaining nodes, renaming them so that $\delta(q_i, a) = q_j$ implies $i < j$.

Finally, add a new sink state labeled q_{n-1} satisfying conditions (a) and (c) and additional transitions as necessary to q_{n-1} to make the DFA complete. This new

DFA M' clearly accepts the same language as M . Since we removed at least one state and added back the sink state, the number of states in M' is no larger than the number of states in M . Hence M' is minimal.

It remains to verify conditions (b) and (d). By the ordering in condition (e), the transitions from q_{n-2} can only go to a higher numbered state. This proves (b). If $q_{n-2} \notin F$, then q_{n-2} and q_{n-1} would be equivalent states, and hence M' not minimal. This proves (d). \square

Theorem 15 *We have*

- (a) $f'_1(1) = 1$ and $f'_1(n) = 2^{n-2}$ for $n \geq 2$;
- (b) $g'_1(n) = 2^{n-1}$;
- (c) For $k, n \geq 2$ we have $f'_k(n) \geq 2^{n-2}((n-1)!)^{k-1}$.

Proof. We start by computing $f'_1(n)$. By Proposition 14 or by using Nicaud's theorem (Theorem 2) if M is a minimal unary DFA accepting a finite language, then the transition diagram of M must have a loop of size 1, and that state must be non-final. If there are ≥ 2 states, the state immediately preceding this sink state must be final. It follows that $f'_1(1) = 1$ and $f'_1(n) = 2^{n-2}$ for $n \geq 2$. This proves (a). Part (b) is an immediate consequence.

We now turn to estimating $f'_k(n)$ for $k \geq 2$. We can construct a DFA M with state set $Q = \{q_0, q_1, \dots, q_{n-1}\}$ satisfying the conditions in Proposition 14 such that its restriction $M_{\{0\}}$ satisfies

$$\begin{aligned} \delta(q_i, 0) &= q_{i+1}, & 0 \leq i \leq n-2; \\ \delta(q_{n-1}, 0) &= q_{n-1}. \end{aligned}$$

Furthermore, we may choose the set of final states to be $S \cup \{q_{n-2}\}$, where S is any subset of $\{q_0, \dots, q_{n-3}\}$. It is now easy to see that these $2^{n-2}((n-1)!)^{k-1}$ automata are all minimal and pairwise different. This proves (c). \square

Note that Proposition 14 implies the upper bound $f'_k(n) \leq 2^{n-2}((n-1)!)^k$, but this is actually weaker, in an asymptotic sense, than the upper bound given in Theorem 9.

Now let us consider G' .

Theorem 16 *We have*

- (a) $G'_1(n) = 2^n$;
- (b) For $n \geq 2$ we have $2^{(k-1)n(n-1)/2} \leq G'_k(n) \leq 2^{n-1+kn(n-1)/2}$.

Proof. We can see that $G'_1(n) = 2^n$ as follows. If an initially-connected NFA M of n states accepts a finite language, then the longest string accepted is of length $< n$. For if a longer string is accepted, we would have a directed cycle in M 's transition diagram, and hence $L(M)$ would be infinite. It follows that $G'_1(n) \leq 2^n$. On the other hand, every subset of $\{\epsilon, a, a^2, \dots, a^{n-1}\}$ can be accepted, since we may form a linear chain of n states and assign the final states in 2^n ways. Each assignment gives a distinct language.

Now let us consider $G'_k(n)$ for $k \geq 2$. We may assume that the states are numbered $0, 1, \dots, n-1$ in such a way that every transition goes from a lower-numbered state to a higher-numbered state. If $n > 1$, we may also assume vertex $n-1$ is final, for if not we could simply remove all edges leading into it. This gives the upper bound $G'_k(n) \leq 2^{n-1+kn(n-1)/2}$. On the other hand, by a technique similar to that given in Proposition 11, we see that $G'_k(n) \geq 2^{(k-1)n(n-1)/2}$. (We let the states be $\{q_0, \dots, q_{n-1}\}$ and define $\delta(q_i, 0) = q_{i+1}$ for $0 \leq i < n-1$. We choose the other transitions in all possible ways, provided they go from a lower-numbered to a higher-numbered state. We fix q_{n-1} as final.) \square

6. Tables

In this section we report on some explicit computations.

The following table gives the first 10 values of $f_1(n)$ and $g_1(n)$.

n	1	2	3	4	5	6	7	8	9	10
$f_1(n)$	2	4	12	30	78	180	432	978	2220	4926
$g_1(n)$	2	6	18	48	126	306	738	1716	3936	8862

The following table gives $f_2(n)$ and $g_2(n)$ for $1 \leq n \leq 6$.

n	1	2	3	4	5	6
$f_1(n)n^n$	2	16	324	7680	243750	8398080
$f_2(n)$	2	24	1028	56014	3705306	286717796
$g_2(n)$	2	26	1054	57068	3762374	290480170
$2^n C_2(n)/(n-1)!$	2	48	1728	83968	5141600	379618560

The following table gives $f_3(n)$ and $g_3(n)$ for $1 \leq n \leq 4$.

n	1	2	3	4
$f_1(n)n^{2^n}$	2	64	8748	1966080
$f_3(n)$	2	112	41928	26617614
$g_3(n)$	2	114	42042	26659656
$2^n C_3(n)/(n-1)!$	2	224	63720	34049024

We give some brief remarks about how the numbers in the tables above were computed. We considered each of the n^{kn} possible digraphs on vertices labeled $\{0, 1, \dots, n-1\}$ where each node has out-degree k . Naively there would be an additional factor of 2^n for the possible choices of F , the set of final states, but we can reduce this to n by exploiting symmetries. First, if we fix 0 as the initial state, then either 0 is final or not, and then we can consider any subset of the form $\{1, 2, \dots, t\}$ as additional members of F , for $0 \leq t < n$. This gives us $2n$ possible choices for F . For each resulting automaton, we determine if it is minimal, and if so, we count it with weight $\frac{\binom{n-1}{k}}{(n-1)!}$. Second, we can reduce the number of possible sets of final states from $2n$ to n by exploiting the symmetry that a DFA for L is minimal iff the the

corresponding DFA obtained by changing final states to non-final and vice-versa is minimal.

The following table gives $G_1(n)$ for $1 \leq n \leq 5$.

n	1	2	3	4	5
$G_1(n)$	3	9	29	88	269

The distribution of state sizes is given below. The entry in row n and column j gives the number of distinct unary languages accepted by NFA's with n states which are accepted by a minimal DFA with j states.

$n \setminus j$	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	2	1																
2	2	4	3															
3	2	4	12	7	3	1												
4	2	4	12	30	16	11	8	2	1	1	1							
5	2	4	12	30	78	33	27	29	23	9	6	6	2	3	2	1	1	1

A complete listing of the distinct NFA languages for $1 \leq n \leq 5$ can be found at <http://www.math.uwaterloo.ca/~shallit/papers.html>.

We give some brief remarks about how the numbers in the tables above were computed. We consider all 2^{n^2} different digraphs on n vertices. As above, we can restrict our attention to sets of final states that either contain state 0 not, and additionally contains the set $\{1, 2, \dots, t\}$ for some t with $0 \leq t < n$. For each machine, we convert it to a DFA and then minimize the DFA using Theorem 2. Using hashing, we then build a table of distinct minimal DFA's and as each new machine is considered, we check to see if we have already enumerated it.

The following table gives $D_k(n)$ for $1 \leq k \leq 4$ and $1 \leq n \leq 4$.

$k \setminus n$	1	2	3	4
1	2	8	256	38912
2	4	192	221184	4020240384
3	8	3584	128450560	279166431789056
4	16	61440	67947724800	18428089759432704000

The following table gives $G_2(n)$ for $1 \leq n \leq 3$.

n	1	2	3
$G_2(n)$	5	213	45113

The distribution of state sizes is given below. The entry in row n and column j gives the number of distinct languages over $\{0, 1\}$ accepted by NFA's with n states which are accepted by a minimal DFA with j states.

$n \setminus j$	1	2	3	4	5	6	7	8
1	2	3						
2	2	24	117	70				
3	2	24	1028	5595	11211	14537	10580	2136

The following table gives $f'_2(n)$ and $g'_2(n)$ for $1 \leq n \leq 7$.

n	1	2	3	4	5	6	7
$f'_2(n)$	1	1	6	60	900	18480	487560
$g'_2(n)$	1	2	8	68	968	19448	507008

The following table gives $G'_2(n)$ for $1 \leq n \leq 5$.

n	1	2	3	4	5
$G'_2(n)$	2	8	80	1904	102848

The distribution of state sizes is given below. The entry in row n and column j gives the number of distinct finite languages over $\{0, 1\}$ accepted by NFA's with n states which are accepted by a minimal DFA with j states.

$n \setminus j$	1	2	3	4	5	6	7	8	9	10	11
1	1	1									
2	1	1	6								
3	1	1	6	60	12						
4	1	1	6	60	900	672	264				
5	1	1	6	60	900	18480	31720	30992	15920	4288	480

As Mandl [25] and Salomaa and Yu [33] have shown, the maximum number of states needed by a DFA to accept a finite language accepted by an NFA with n states over $\{0, 1\}$ is $2^{(n+2)/2} - 1$ if n is even and $3 \cdot 2^{(n-1)/2} - 1$ if n is odd.

Acknowledgements

We thank Bob Robinson for helpful remarks. We also thank the referees for a very careful reading of the paper which helped remove many errors.

References

- [1] S. GINSBURG, *An Introduction to Mathematical Machine Theory*. Addison-Wesley, 1962.
- [2] F. HARARY, The number of functional digraphs. *Math. Annalen* **138** (1959), 203–210.
- [3] F. HARARY, Unsolved problems in the enumeration of graphs. *Magyar Tud. Akad. Math. Kutató Int. Közl.* **5** (1960), 63–95.
- [4] F. HARARY, Combinatorial problems in graphical enumeration. In: E. BECKENBACH (ed.), *Applied Combinatorial Mathematics*. Wiley, 1964, 185–217.
- [5] F. HARARY, E. PALMER, Enumeration of finite automata. *Inform. Control* **10** (1967), 499–508.
- [6] F. HARARY, E. M. PALMER, *Graphical Enumeration*. Academic Press, 1973.

- [7] M. A. HARRISON, A census of finite automata. In: *Proc. 5th Annual Symposium on Switching Circuit Theory and Logical Design*. IEEE Press, 1964, 44–46.
- [8] M. A. HARRISON, A census of finite automata. *Canad. J. Math.* **17** (1965), 100–113.
- [9] J. E. HOPCROFT, J. D. ULLMAN, *Introduction to Automata Theory, Languages, and Computation*. Addison-Wesley, 1979.
- [10] K. IWAMA, Y. KAMBAYASHI, K. TAKAKI, Tight bounds on the number of states of DFAs that are equivalent to n -state NFAs. *Theoret. Comput. Sci.* **237** (2000), 485–494.
- [11] K. IWAMA, A. MATSUURA, M. PATERSON, A family of NFA’s which need $2^n - \alpha$ deterministic states. In: M. NIELSEN, B. ROVAN (eds.), *Proc. 25th Symposium, Mathematical Foundations of Computer Science 2000*. LNCS **1893**, Springer-Verlag, 2000, 436–445.
- [12] G. JIRÁSKOVÁ, Note on minimal finite automata. In: J. SGALL, A. PULTR, P. KOLMAN (eds.), *Proc. 26th Symposium, Mathematical Foundations of Computer Science 2001*. LNCS **2136**, Springer-Verlag, 2001, 421–431.
- [13] A. D. KORSHUNOV, On asymptotic estimates of the number of finite automata. *Diskretnyi Analiz* **6** (1966), 35–50. In Russian.
- [14] A. D. KORSHUNOV, Asymptotic estimates of the number of finite automata. *Kibernetika* **3** (1967) 2, 12–19, in Russian. English translation in *Cybernetics* **3** (1967) 2, 9–14.
- [15] A. D. KORSHUNOV, The invariant properties of finite automata. *Diskretnyi Analiz* **16** (1970), 51–76, in Russian.
- [16] A. D. KORSHUNOV, A survey of certain trends in automata theory. *Diskretnyi Analiz* **25** (1974), 19–55, 62, in Russian.
- [17] A. D. KORSHUNOV, The number of automata and boundedly determined functions. Hereditary properties of automata. *Dokl. Akad. Nauk SSSR* **221** (1975), 1264–1267, in Russian. English translation in *Soviet Math. Doklady* **16** (1975), 515–518.
- [18] A. D. KORSHUNOV, Enumeration of finite automata. *Problemy Kibernetiki* **34** (1978), 5–82, 272, in Russian.
- [19] A. D. KORSHUNOV, On the number of non-isomorphic strongly connected finite automata. *Elektronische Informationsverarbeitung und Kybernetik* **22** (1986), 459–462.
- [20] V. A. LISKOVETS, The number of connected initial automata. *Kibernetika* **5** (1969) 3, 16–19, in Russian. English translation in *Cybernetics* **5** (1969), 259–262.
- [21] V. A. LISKOVETS, The number of initially connected digraphs. *Doklady Akad. Nauk BSSR* **15** (1971), 293–294, in Russian.

- [22] V. A. LISKOVETS, Enumeration of non-isomorphic strongly connected automata. *Vesci Akad. Navuk BSSR, Ser. Fiz.-Mat. Navuk* **3** (1971), 26–30, in Russian.
- [23] E. M. LIVSHITS, Asymptotic formula for the number of classes of isomorphic autonomous automata with n states. *Ukrainskii Matematicheskii Zhurnal* **16** (1964), 245–246, in Russian.
- [24] M. LOTHAIRE, *Combinatorics on Words*. Vol. 17 of *Encyclopedia of Mathematics and Its Applications*, Addison-Wesley, 1983.
- [25] R. MANDL, Precise bounds associated with the subset construction on various classes of nondeterministic finite automata. In: *Proc. 7th Princeton Conference on Information and System Sciences*. 1973, 263–267.
- [26] C. NICAUD, Average state complexity of operations on unary automata. In: M. KUTYLOWSKI, L. PACHOLSKI, T. WIERZBICKI (eds.), *Proc. 24th Symposium, Mathematical Foundations of Computer Science 1999*. LNCS **1672**, Springer-Verlag, 1999, 231–240.
- [27] C. POMERANCE, J. M. ROBSON, J. SHALLIT, Automaticity II: Descriptive complexity in the unary case. *Theoret. Comput. Sci.* **180** (1997), 181–201.
- [28] V. A. POPOV, I. T. SKIBENKO, Enumeration of abstract automata. *Avtomatika i Telemekhanika* **36** (1975), 143–148, in Russian. English translation in *Automation and Remote Control* **36** (1975), 129–133.
- [29] C. E. RADKE, Enumeration of strongly connected sequential machines. *Inform. Control* **8** (1965), 377–389.
- [30] R. C. READ, A note on the number of functional digraphs. *Math. Annalen* **143** (1961), 109–110.
- [31] R. W. ROBINSON, Counting strongly connected finite automata. In: Y. ALAVI, G. CHARTRAND, L. LESNIAK, D. R. LICK, C. E. WALL (eds.), *Graph Theory with Applications to Algorithms and Computer Science*. Wiley, 1985, 671–685.
- [32] J. B. ROSSER, L. SCHOENFELD, Approximate formulas for some functions of prime numbers. *Illinois J. Math.* **6** (1962), 64–94.
- [33] K. SALOMAA, S. YU, NFA to DFA transformation for finite languages over arbitrary alphabets. *J. Automata, Languages, and Combinatorics* **2** (1997), 177–186.
- [34] J. SHALLIT, Y. BREITBART, Automaticity I: Properties of a measure of descriptive complexity. *J. Comput. System Sci.* **53** (1996), 10–25.
- [35] V. A. VYSSOTSKY, A counting problem for finite automata. Technical report, Bell Telephone Laboratories, May 1959.

(Received: December 7, 2001; revised: October 25, 2002)