

There is no $(22, 8, 4)$ Block Design

Richard Bilous, Clement W. H. Lam, Larry H. Thiel,
Department of Computer Science and Software Engineering
Concordia University
Montreal, Québec, Canada H3G 1M8

(Ben) P. C. Li, G. H. John van Rees,
Department of Computer Science
University of Manitoba
Winnipeg, Manitoba, Canada R3T 2N2

Stanisław P. Radziszowski
Department of Computer Science
Rochester Institute of Technology
Rochester, NY, 14623

Wolfgang H. Holzmann, Hadi Kharaghani
Department of Mathematics and Computer Science
University of Lethbridge
Lethbridge, Alberta, Canada T1K 3M4

February 20, 2006

Abstract

In this paper we show that a $(22, 8, 4)$ design does not exist. This result was obtained by a computer search.

1 Introduction

In this paper, we assume that the reader is familiar with the basic definitions of a $2-(v, k, \lambda)$ design; see, for example, [6, p. 3–13]. For an introduction to the computational methods, see [6, p. 718–740]. For a summary of the history of this design, see [16].

A $2-(v, k, \lambda)$ design, is a set $\mathcal{X} = \{x_i\}_{i=1}^v$ of *points* together with a family $\mathcal{B} = \{B_j\}_{j=1}^b$ of k -subsets (called *blocks*) such that each pair of distinct points occurs in exactly λ blocks. A $2-(v, k, \lambda)$ design is also called a *balanced incomplete block design* or *BIBD*.

The number of blocks b in a BIBD is given by

$$b = \frac{v(v-1)}{k(k-1)}\lambda,$$

and every point is in exactly

$$r = \frac{v-1}{k-1}\lambda$$

blocks.

A BIBD is completely determined by its *incidence matrix* $A = (a_{i,j})_{v \times b}$ where

$$a_{i,j} = \begin{cases} 1 & \text{if } x_i \in B_j, \\ 0 & \text{if } x_i \notin B_j. \end{cases}$$

In 1938, Fisher and Yates [7] produced tables listing all known small BIBDs. Their smallest undecided case in the number of varieties (v) was for the parameters $(22, 8, 4)$.

In [8], Hamada and Kobayashi analysed the possible block intersection patterns in a 2 -($22, 8, 4$) design. They found 9 types, and eliminated 5 of them. After some extensive computing, McKay and Radziszowski [14, 15] eliminated 2 of the remaining 4 types.

Another approach is to consider the possible automorphism groups of such a design. In [10, 12], Kapralov, Landgev and Tonchev showed that the full automorphism group of a 2 -($22, 8, 4$) design is either a 2-group or the trivial group.

Yet another approach is to consider the vector space generated by the rows of the incidence matrix A of a 2 -($22, 8, 4$) design over $\text{GF}(2)$. This is the *point code* C of the design. Since the rows of A are vectors of length 33, the *length* of the code is 33. The *dimension* of the code is the dimension of the subspace generated by the rows of A over $\text{GF}(2)$. The vectors in the code are called *codewords*. The *weight* of a codeword is the number of its non-zero components. A code is called *doubly-even* if it contains only codewords with weights divisible by 4. Two codewords are *orthogonal* to each other if the dot product of the two codewords is 0. A code is *self-orthogonal* if any codeword is orthogonal to any other codewords in the code.

In [9], Hall *et al* showed that the point code of a 2 -($22, 8, 4$) design is a $(33, k)$ doubly-even self-orthogonal code with dimension k between 8 and 16. In [1, 5], Bilous and van Rees showed that it suffices to consider only the case $k = 16$ because any $(33, k)$ doubly-even self-orthogonal code with $k < 16$ is contained in a $(33, 16)$ doubly-even self-orthogonal code. Moreover, we only have to consider codes that do not contain a coordinate of zeros.

In [1, 3, 4, 5], Bilous and van Rees showed that there exists 594 inequivalent doubly-even self-orthogonal $(33, 16)$ codes with no coordinates of zeros. Without using computers, they proved that 116 of these codes cannot contain the incidence matrix of a 2 -($22, 8, 4$) design.

2 Search Results

In [2], Bilous gave a detailed description of how to search for such a design, given a code. In particular, computer searches up to that point eliminated 299 of the 478 remaining codes. In

Table 4 of [2], Bilous also gave estimates on the size of the search space for 32 of the remaining 179 codes. These 32 codes are the ones with at most one weight 4 word. Together, they account for most of the search space.

However, some of the pruning ideas were dropped in the final version of the computer program. They were dropped because the computing time required to implement these pruning tests was found to be more than the amount of computing time saved. In particular, the following pruning ideas were dropped:

1. pruning using patterns under a weight 5 word (Section 6.3 of [2]), and
2. equivalent case processed pruning (Section 6.4 of [2]).

Table 1 gives the revised estimates of the size of the search space for the first 32 codes. These 32 codes account for 91% of the search space.

The actual computing was carried out in several universities and using a variety of computers. Most of the computation were carried out between September 2002 and October 2005. No massively parallel supercomputers were used. Instead, typically, a few hundred computers on local area departmental networks at different universities were run simultaneously. A typical computer is a 2 gigahertz Intel CPU running the linux operating system. To allow for simultaneous running of the program, each code is divided into many subcases. The number of subcases is chosen so that each subcase takes roughly 1 day of CPU time. To avoid losing a complete run if the computer is accidentally rebooted, the computer program regularly writes status information to a disk file. If the run has to be restarted, the program will read the latest status information and continues from that point. Moreover, the software package autoson [13], a tool developed by Brendan McKay, was used to coordinate the scheduling of running jobs over hundreds of computers.

Table 2 gives a summary of the actual runs for the first 32 codes. For a description of the meaning of a *left pattern*, please see [2]. Basically, it is a 22×4 or a 22×5 submatrix, depending on whether the code has or does not have a weight 4 word. The *worst pattern* is the identification of the left pattern which gives rise to the largest node count for the code in question. One can see that the actual node counts are very close to the estimates.

Please see http://www.cs.umanitoba.ca/~umbilou1/2-22_8_4_design/ for a summary for all 478 codes. This summary can also be obtained by contacting either the first or second author.

The total computing amounts to 96290 CPU days. This ranks as one of the largest computational efforts on a single task ever completed. As a comparison, the computer search for a projective plane of order 10 [11] took only about 125 CPU days on a CRAY-1, and the performance of a CRAY-1 is roughly equivalent to a 1 gigahertz Intel CPU.

Unfortunately, after all this computing, no $2-(22, 8, 4)$ designs were found.

Theorem 1 *There is no $2-(22, 8, 4)$ design.*

We wish to emphasize that this is a computer-based proof, and that given all the possibilities of software and hardware errors, it is highly desirable to have an independent verification of the results.

Acknowledgements

G. H. J. van Rees acknowledges the support of NSERC Discovery Grant 003358-04.

C. W. H. Lam acknowledges the support of NSERC Discovery Grant 9373-02.

W. H. Holzmann and H. Kharaghani acknowledge the support of NSERC Discovery and RTI grants.

References

- [1] R. T. Bilous, *The Point Code of a $(22, 33, 12, 8, 4)$ -Balanced Incomplete Block Design*, PhD thesis, University of Manitoba, 2001.
- [2] R. T. Bilous, "Searching a $(33, 16)$ doubly-even code for a $(22, 33, 12, 8, 4)$ -BIBD", *J. of Combin. Math. and Combin. Comp.*, 46(2003), 53–64.
- [3] R. T. Bilous, G. H. J. van Rees, "An Enumeration of Binary Self-Dual Codes of Length 32", *Des. Codes Cryptography*, 26(2002), 61–86.
- [4] R. T. Bilous, "An enumeration of binary self-dual codes of length 34," , *J. of Combin. Math. & Combin. Comp.*, to appear.
- [5] R. T. Bilous, G. H. J. van Rees, "Self-Dual Codes and the $(22, 8, 4)$ Balanced Incomplete Block Design", *J. of Combin. Designs*, 13(2005), 363–376.
- [6] C. Colbourn and J. Dinitz, eds., *CRC Handbook of Combinatorial Designs*, CRC Press, New York 1996.
- [7] R. A. Fisher and F. Yates. *Statistical Tables for Biological, Agricultural and Medical Research*. Longman, London, 1st edition, 1938.
- [8] N. Hamada and Y. Kobayshi, "On the block structure of bib designs with parameters $v = 22$, $b = 33$, $r = 12$, $k = 8$, and $\lambda = 4$ ", *J. Combin. Theory, Ser. A* 24(1978), 75–83.
- [9] M. Hall Jr., R. Roth, G. H. J. van Rees, and S. A. Vanstone, "On designs $(22, 33, 12, 8, 4)$ ", *J. Combin. Theory* 47(1988), 157–175.
- [10] S. Kapralov, "Combinatorial 2- $(22, 8, 4)$ designs with automorphisms of order 3 fixing one point", In *Math. and Education in Math., Proc. of the XVI Spring Conference of Union of Bulgarian Mathematicians*, 453–458, Sunny Beach, 1987.
- [11] C. W. H. Lam, L. Thiel, and S. Swiercz, "The Non-existence of Finite Projective Planes of Order 10", *Canadian Journal of Mathematics*, 41(1989), 1117–1123.
- [12] I. Landgev and V. Tonchev, "Automorphisms of 2- $(22, 8, 4)$ designs", *Discrete Mathematics* 77(1989), 177–189.

- [13] B. D. McKay, *autoson — a distributed batch system for UNIX workstation networks (version 1.3)*, Technical Report TR-CS-96-03, Joint Computer Science Technical Report Series, Australian National University, 1996; <http://cs.anu.edu.au/~bdm/autoson>.
- [14] B. D. McKay and S. P. Radziszowski, “Towards deciding the existence of 2-(22, 8, 4) designs”, *J. Combin. Math. and Combin. Comp.* 22(1996), 211–222.
- [15] B. D. McKay and S. P. Radziszowski, “2-(22, 8, 4) designs have no blocks of type 3”, *J. Combin. Math. and Combin. Comp.* 30(1999), 251–253.
- [16] G. H. J. van Rees, “(22, 33, 12, 8, 4)-BIBD, an update”, In *Computational and Constructive Design Theory*, pages 337–357. W.D. Wallis, Kluwer Academic Publ., 1996.

code	node count
0	$4.03e + 15$
1	$3.71e + 15$
2	$7.52e + 15$
3	$2.64e + 15$
4	$2.55e + 14$
5	$1.05e + 15$
6	$3.13e + 14$
7	$6.71e + 14$
8	$2.65e + 14$
9	$1.70e + 14$
10	$2.85e + 13$
11	$8.39e + 14$
12	$2.32e + 14$
13	$3.37e + 14$
14	$1.26e + 14$
15	$1.93e + 14$
16	$1.67e + 14$
17	$1.46e + 14$
18	$1.08e + 14$
19	$1.28e + 14$
20	$1.26e + 14$
21	$7.53e + 13$
22	$4.29e + 13$
23	$5.02e + 13$
24	$5.60e + 13$
25	$2.51e + 13$
26	$3.37e + 13$
27	$3.98e + 12$
28	$1.86e + 12$
29	$1.50e + 12$
30	$8.37e + 11$
31	$1.94e + 11$

Table 1: Revised estimates of the search space for the first 32 codes

code	num wt 4	num left patterns	node count	worst pattern	run time hr:mn:sc
0	0	83	$4.01e + 15$	6.0	259588 : 35 : 32
1	0	83	$3.76e + 15$	4.1	161088 : 49 : 55
2	0	82	$7.56e + 15$	6.0	652247 : 42 : 11
3	0	50	$2.68e + 15$	6.0	373486 : 46 : 58
4	0	35	$2.61e + 14$	6.0	54942 : 55 : 32
5	0	51	$1.01e + 15$	5.2	293564 : 05 : 44
6	0	51	$3.26e + 14$	5.2	20696 : 18 : 20
7	0	31	$6.72e + 14$	6.0	139443 : 55 : 56
8	0	8	$2.55e + 14$	3.0	15758 : 04 : 52
9	0	31	$1.74e + 14$	6.0	10865 : 42 : 11
10	0	7	$1.53e + 13$	3.0	1758 : 26 : 52
11	1	4	$7.77e + 14$	2.0	30447 : 27 : 32
12	1	7	$2.60e + 14$	2.0	57075 : 53 : 48
13	1	7	$2.33e + 14$	2.1	30301 : 47 : 24
14	1	7	$1.77e + 14$	2.0	6820 : 54 : 20
15	1	7	$1.74e + 14$	2.0	22287 : 22 : 35
16	1	7	$1.75e + 14$	2.1	6973 : 53 : 47
17	1	7	$1.96e + 14$	2.0	7564 : 34 : 46
18	1	7	$1.14e + 14$	2.1	30695 : 01 : 53
19	1	3	$1.94e + 14$	2.0	25138 : 22 : 05
20	1	3	$1.30e + 14$	2.0	4937 : 58 : 21
21	1	3	$9.78e + 13$	2.0	3695 : 40 : 05
22	1	12	$3.66e + 13$	2.0	1552 : 06 : 04
23	1	12	$3.09e + 13$	2.0	1563 : 21 : 24
24	1	7	$3.51e + 13$	2.0	1936 : 52 : 45
25	1	7	$2.16e + 13$	2.0	1210 : 16 : 07
26	1	3	$1.85e + 13$	2.0	1039 : 33 : 31
27	1	7	$3.44e + 12$	2.0	192 : 39 : 47
28	1	7	$1.10e + 12$	2.0	60 : 21 : 13
29	1	4	$8.19e + 11$	2.0	45 : 27 : 55
30	1	3	$5.75e + 11$	2.0	31 : 12 : 02
31	1	3	$1.75e + 11$	2.0	9 : 30 : 09

Table 2: Summary of search statistics for the first 32 codes